

09651374

6472156

Figure 1. Melting Curves for Genotyping
the Most Stable Mismatch




Figure 2. Continuous (within cycle) monitoring of PCR with Hybridization and Exonuclease Probes




Figure 3. Multiplexing by Color and T_m




Figure 4. The Rapid Cycler™




Figure 5. The Light Cycler™




Figure 6. Spectral Overlap between fluorescein, LC Red 640, CY5, Cy5.5




Figure 7. Emission Spectra of Resonance
Energy Transfer Acceptors





Figure 8. Four Color Light Cycler™ - Optical Design



Percent of Spectra in Band Pass

	FSCN	LC Red 640	Cy 5	Cy 5.5
LED	47	0.8	0.2	0.3
FSCN	48	<0.1	<0.1	<0.1
LC Red 640	1.5	41	7.8	0.8
Cy 5	0.7	14	43	11
Cy 5.5	0.4	7.7	16	49

Figure 9.




Figure 10.





Figure 11.



158 m

Figure 12.




Figure 13.




Figure 14.




Figure 15.




Figure 16.





Figure 17.

Codon 6 Probe (LC Red 640)



Codon 26 Probe (LC Red 705)




Figure 18.

Sequence Variation and Probe Design at HLA-A




Figure 19. Predicted Tms for 2 Probes at a HLA-A Variable Region






Figure 20. Sequence Variation and Probe Design at DRB1






Figure 21. Predicted Tms for 3 Probes at a HLA DRB1 Variable Region






Figure 22. Scanning for Mutations

